

SHAPING  
DISTINCTIVE  
SPACES WITH  
MINIMAL GRACE

80x300cm |  
80x240cm |  
Thickness 15mm  
Porcelain Slabs

STONE TÈCH

GRANICER  
CERAMICA INDIANA



#bestslabsever

## STONE TECH

15  
MM  
✂

### WHY TO USE PORCELAIN SLABS?

Modern spaces need multiple practical and functional elements to make them distinguishing and unique while making them easier for you to maintain.

Built with 15mm thickness, these surfaces ensure a class-apart durability to ensure that your space creates a legacy of memories to cherish upon. Our maintenance-free surfaces can create an easy lifestyle for you with their strong appeal and long-lasting impact.



UNALTERABLE  
BY OXIDATION

ECO  
FRIENDLY

FROST  
PROOF

CHEMICAL  
RESISTANT

STAIN  
RESISTANT

HYGIENIC &  
ODOUR FREE

WATER  
PROOF

EASY TO  
CLEAN



## Asia's Largest Slab Manufacturing Unit

Granicer is Asia's largest slab manufacturing unit, producing porcelain slabs with unmatched quality and precision in a wide range of exquisite formats and designs!

# Our Strength

**GRANICER**  
CERAMICA INDIANA

- 1 Production capacity of 70,000 sq m/day for large format slabs under one roof.
- 2 Revolutionary new sizes & finishes with thicknesses ranging from 6mm to 20mm.
- 3 Versatile range of porcelain, stoneware, full body & through body veining slabs.
- 4 The only plant in India with zero water waste technology.
- 5 Latest lineups with the world's most advanced technology.
- 6 First time in India the latest digital printers of Infinity models produce full digital printing products with 4+ 12 color bars in both lines.
- 7 First time in the Indian ceramic industry Television-Auto is the latest generation of automatic sorting system manufactured by Italtvision Italy.
- 8 First time in India LB Technology with easy color boost, technological tower, and automatic powder handling.
- 9 A comprehensive ceramic laboratory center in collaboration with Sassuolo Lab Italy.
- 10 Awarded the glorious title of - Best New Tile Plant in Asia at Tecnawards 2022 by ACIMAC!





Porcelain Slabs

## From the kitchen to the floor. A perfect total look.

Our fullbody and colorbody slabs have been made with precision, and we aim to evoke a distinguishing feeling of royalty in your space. These surfaces have been empowered with unique perspectives of durability that can add years of utility to your space.

Your space needs a contemporary, striking, minimal, and aesthetic appeal that can be added by the surfaces from Granicer. Bring in a cosmopolitan appeal to your space and generate an ambiance that seems perfect from every angle.


**STONE TÉCH**






# Application Areas

The dynamic application areas make it a suitable choice for your entire space, giving it a continuous and enlarged effect!



02




01



03



04




01 Wardrobe


02 Table top

03 Floor | Wall


04 Table



05





06



07

08



09

05 TV Unit

06 Kitchen Area


07 Dining Table

08 Counter top

09 Furniture Table

10 Study Table

10



Sizes that can easily adapt to your space!

## Sizes



Our 80x300cm and 80x240cm surfaces have been curated to look into your vivid needs and to mark a tick against the ultimate quality checkboxes.

Surreal finishes that add a surreal and scenic vibe!

## Fullbody / Colourbody

## Finishes



Rematt



Metallic



Polish



Elegance



Luminous



Repose




Sahara



Grace

Multiple edges for your multiple corners!

## Edges







## THINK SUSTAINABLE THINK GRANICER

SUSTAINABILITY IS A RESPONSIBILITY  
WE ARE COMMITTED TO.

Granicer is committed to delivering eco-conscious and sustainable solutions to give us safe places to reside and a green future to hold on to with slim slabs backed by our sustainability mission.



SLIM THICKNESS  
to minimum 6mm.



-35%

Low raw  
material  
usage



-50%

Less  
water  
usage



-25%

Less Co<sub>2</sub>  
emission



-25%

Less  
energy  
consumption



-35%

Less pollution  
generated from  
transportation





100%

Compensation of Co<sub>2</sub>  
Emissions (13.14 Kg/sqm)

Promise of uncompromised  
performance in terms of functionality,  
durability, strength, and more.











Product Range / 15mm





Product Range / 15mm






# Sepos Chalk



80x300cm



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sepos Trigo



80x300cm



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sepos White



80x300cm



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sepos Gris



80x300cm



80x240cm

**Body Type :**

Full Body

**Thickness :**

15mm

**Available Finishes :**

Polish | Rematt


**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sepos Nero



80x300cm



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Mono Brown



80x300cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Mono Grey



80x300cm



80x240cm

**Body Type :**

Full Body

**Thickness :**

15mm

**Available Finishes :**

Polish | Rematt

**Applications Area :**


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





Mono White

STONE TÉCH



80x300cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :


Polish | Rematt

Applications Area :


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top




# Mono Ash Grey



80x300cm



80x240cm  
Polish



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Mono Black



80x300cm



80x240cm  
Polish

**Body Type :**

Full Body

**Thickness :**

15mm

**Available Finishes :**

Polish | Rematt

**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Mono Iceburg



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Mono Kota



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Mono Verde



80x240cm

**Body Type :**

Full Body

**Thickness :**

15mm

**Available Finish :**

Polish

**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Quartzite White



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Quartzite Beige



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



## Quartzite Choco

**STONE TÈCH**



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





Cristal White

**STONE TÉCH**



80x300cm



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Statuario Reale



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Bianca Fiore



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Calacatta Luna



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# African Ebony



80x300cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Magma Gold

STONE TÈCH



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Golden Portoro



80x300cm



**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Luminous


**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top




Markina Olspe

STONE TECH



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Noir Serpents

STONE TÉCH



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Titanium Gold



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top




# Eclipse Black

STONE TECH



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Zed Black



80x300cm



80x240cm  
Luminous

Body Type :

Color Body

Thickness :

15mm

Available Finishes :

Luminous & Repose

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sparkle White



80x300cm



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Metallic

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Sparkle Nero



80x300cm



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Metallic


Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top






# Rivera Ossido



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Flint Nero



80x240cm

**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Sahara


**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Saint Laurent



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Black Bonanza



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Varde Royal



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





Solid White

STONE TÉCH



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :


Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





Solid Black

STONE TECH



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Bianca Fiore



80x240cm



**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Grace

**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Calacatta Luna



80x240cm



**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Grace

**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# Ice Burg Blanco



80x240cm



**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Grace


**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Macchia Vecchia

STONE TÈCH



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top





# White Macaubas



80x240cm



**Body Type :**

Color Body

**Thickness :**

15mm

**Available Finish :**

Grace

**Applications Area :**

Floor | Wall | Commercial | Facade  
Vanity top | Counter top | Table top



# Technical Detail

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF GRANICER
<b>Regulatory Properties</b>				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±0.10 %
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/ IS 13630-1	±5.0 %
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±0.10 %
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/ IS 13630-1	±0.10 %
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±0.20 %
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±0.20 %
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±0.10 %
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour) Glazed	ΔE <0.75	N.A.	ISO 10545-16	No change
Small Color Difference (For Plain Colour) Unglazed	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Polished)	As per Manufacturer	N.A.	Gloss Meter 60°	≥ 90
<b>Structural Properties</b>				
Water Absorption	≤0.50 %	≤0.080 %	ISO 10545-3/ IS 13630-2	≤0.080 %
Bulk Density	As per Manufacturer	Min 2.20 gm/cc	ISO 10545-3/ IS 13630-2	> 2.28 gm/cc
<b>Massive Mechanical Properties</b>				
Modulus of Rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6	Min. 37.0 N/mm <sup>2</sup>
Modulus of Rupture (15mm)	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6	Min. 40.0 N/mm <sup>2</sup>
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/ IS 13630-6	Min 1500.0 N
Breaking Strength Thickness ≥7.5 mm (15mm)	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/ IS 13630-6	Min 6000 N
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	ISO 10545-4/ IS 13630-6	Min 1000.0 N
<b>Surface Mechanical Properties</b>				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Polished - 4 Min Posh, CRV, Matt - 6 Min StrongX - 8 Min
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Polished- Class II Min Posh, CRV, Matt - Class III Min
Deep Abrasion (Unglazed full body tile)	175 mm <sup>3</sup>	140 mm <sup>3</sup>	ISO 10545-6/ IS 13630-12	StrongX - Class IV Min 132 mm <sup>3</sup>
<b>Thermal Hygrometric Properties</b>				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3	Max 0.02 mm/m
Thermal Expansion (COE) at 100°C	As per Manufacturer	Max. 6.0x10-6	ISO 10545-8/ IS 13630-4	Max. 6.0x10-6
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5	Min 10 Cycle
Impact Resistance (COR) #	Min. 0.55	Min 0.55	ISO 10545-5/ IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/ IS 13630-10	Frost Proof
Crazing Resistance at 75 bar	4 Cycle	4 Cycle	ISO 10545-11/ IS 13630-9	6 Cycle
<b>Chemical Properties</b>				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	ISO 10545-14/ IS 13630-8	Min Class 4/Min Class 1
Resistance to Staining Unglazed	As per Manufacturer	Min Class 2	ISO 10545-14/ IS 13630-8	Min Class 4
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	ISO 10545-13/ IS 13630-8	Min Class GB/ Min Class AA
Resistance to Household Chemicals & Swimming Pool Salts Unglazed	Min Class UB	As per Manufacturer	ISO 10545-13/ IS 13630-7	Min Class UB
Resistance to Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	Min Class GLB*** & GHB***/Min Class A**
Resistance to Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	Min Class ULB*** & UHB***/Min Class A**
<b>Safety Properties</b>				
Skid Resistance - (DCOF-WET PENDULUM) ##	As per Manufacturer	As per Manufacturer	ASTM E-303	Polished: < 0.2 Matt: > 0.3 StrongX: > 0.4
Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	DIN 51130	Matt & Posh: R9 - R10 StrongX: R10 R11 Surface: R11
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb & Cd



# Packing Detail

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
STONTECH	80x300cm	800x3000mm	15 mm	1 pc	25.83 Sq ft 2.40 Sq m
	80x240cm	800x2400mm	15 mm	1 pc	20.67 Sq ft 1.92 Sq m



# GRANICER

CERAMICA INDIANA

Corporate Office  
**COMET GRANITO PVT. LTD.**  
8-A, N/H, Nava Jambudiya,  
Morbi - 363 642, Gujarat, INDIA  
+91 8000 815 815, info@granicer.in

Marketing Office  
**GRANICER CERAMICA INDIANA**  
29 D/E, Laxmi Industrial Estate,  
New Link Road, Andheri (W),  
Mumbai - 400 053, Maharashtra, INDIA

World  
**EXPORT**  
+91 9825 215 815  
+91 9033 474 501  
export@granicer.in

Delhi Office  
**GRANICER CERAMICA INDIANA**  
Ground Floor And First Floor, E-4, Noida Road, Sector 8, Noida,  
Gautam Buddha Nagar, Uttar Pradesh - 201 301. +91 8851 980 214

